AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions of claims in the application.

Claim 1 (Currently Amended): An associating information management system for associating

and managing various types of information and for managing the information of a member acting

as a management-unit, said system comprising:

a relationship management table for storing parent-child information of relationship

classification including information of a direction individually related to mutual relation and

degree of relation among types of in identification information of each type specific to the

member and for managing the relation between said types of identification information; and

means for receiving as an inputted searching condition a member, a mutual relation, a

degree of relation, and a range of associating direction, and

search-processing means for searching, form said relation management table, for said

member having said mutual relation and said degree of relation, and for repeatedly searching for

said member within said range of associating direction,

wherein a member associated in the mutual relation, in the degree of relation and in the

range of associating direction inputted as search condition is searched from a specific member by

said search processing means;

retrieval processing means for performing retrieval processing of various types of

information from parent to child and from child to parent by association of the relationship

management table in the information and the scope as designated,

wherein degrees of relatives are displayed in a tree view in the order of relatives of closer

degree, and an abbreviation symbol is added after the name of a member if a member with the

same CIF is already displayed in the tree view.

Claim 2 (Original): An associating information management system according to claim 1,

wherein said various types of information are managed by a member management table where

member data comprising said identification information and detailed information are stored.

Claim 3 (Original): An associating information management system according to claim 2,

wherein said detailed information comprises a classification information for classifying the

members.

Application No. 10/043,212

Attorney Docket No. 020033

Claim 4 (Original): An associating information management system according to claim 3,

wherein said classification information comprises type, rank, classification, and job type.

Claim 5 (Original): An associating information management system according to claim 2,

wherein said detailed information comprises various types of information including FAT

information, address recorded in FAT, file type, directory pass, file name, scope of selection,

object, attribute and information having attribute.

Claim 6 (Original): An associating information management system according to claim 1,

wherein said identification information comprises ID, FAT information, address recorded in

FAT, file type, directory pass, file name, scope of selection, object, attribute, or information

having attribute.

Claim 7 (Original): An associating information management system according to claim 1,

wherein said relationship management table comprises information of mutual associating

direction and degree of relationship.

Claim 8 (Withdrawn): An associating information management system for managing by

associating various types of information, said system comprising:

a relationship management table for storing parent-child relationship in identification

information of each information;

a member management table for storing said identification information and said various

type of information;

input processing means for performing input, setting and indication of the data;

associating information management means for retrieving various types of information

from parent to child and from child to parent by association of the relationship management table

in the information and the scope as designated by said input processing means and for processing

various types of information stored in the member management table; and

output processing means for performing output processing of the data processed by said

associating information management means.

Claim 9 (Withdrawn): An associating information management system according to claim 8,

wherein said input processing means associates one or a plurality of data stored in said member

management table with one or a plurality of different types of data under a given condition, and

stores the result of the association in said relationship management table.

Application No. 10/043,212

Attorney Docket No. 020033

Claim 10 (Withdrawn): A program for associating information management for associating and

managing various types of information by using a relationship management table for storing the

result of said association of parent-child relationship in identification information of various

types of information, whereby there are provided a function to carry out retrieval of various types

of information from parent to child by the association of the relationship management table and a

function to perform retrieval of various types of information from child to parent.

Claim 11 (Withdrawn): A program for associating information management for associating and

managing various types of information by using a relationship management table for storing the

result of said association of parent-child relationship in identification information of various

types of information, whereby the program carries out a function to select one or a plurality of

parents or one or a plurality of children under a selection condition as designated by said various

types of information, a function to associate said selected one or a plurality of parents and said

one or a plurality of children by said identification information and to store in the relationship

management table, a function to retrieve various types of information from parent to child by

association of the relationship management table, and a function to retrieve various types of

information from child to parent.

Claim 12 (Withdrawn): A recording medium for associating information management to associate and manage various types of information, said recording medium being able to read the

data by computer and used to record at least:

a relationship management table for storing association of parent-child relationship in

identification information of various types of information; and

a retrieval processing program for performing retrieval processing of various types of

information from parent to child and from child to parent by association of the relationship

management table in the designated information and scope.

Claim 13 (Withdrawn): A recording medium for associating information management to manage

various types of information by associating, said recording medium being able to read by

computer and at least comprising:

a relationship management table for storing association of parent-child relationship by

identification information of various types of information;

a member management table for storing said identification information and said various

types of information;

an input processing program for inputting, setting, and indicating the data;

an associating information management program for retrieving various types of

information from parent to child and from child to parent by association of said relationship

management table in said designated information and scope and for processing various types of

information stored in said member management table; and

an output processing program for performing output processing of the data processed by

said associating information management program.

Claim 14 (Withdrawn): An associating information management system provided with database,

said database comprising;

a member management table for storing member information of individuals and

organizations including name or organization name, address, telephone number, etc.; and

a relationship management table for defining relationship between a member registered in

the member management table and another member related to said member by parent-child

relationship and for entering classification code to indicate type of relationship and priority rank

of the relationship.

Claim 15 (Withdrawn): An associating information management system according to claim 14,

wherein there is provided a classification table for defining which relationship the classification

code indicates and which priority rank the classification code indicates in addition to the

relationship management table.

Claim 16 (Withdrawn): An associating information management system according to claim 14

or claim 15, wherein there is provided an area code for statistical data preparation and for

classification and assignment of the registered member in the registration items in the member

management table.

Claim 17 (Withdrawn): An associating information management system, comprising:

a member management table for storing member information of individuals and

organizations including name or organization name, address, telephone number, etc.;

said system records relationship record defining relationship between a member

registered in the member management table and another member relating to said member by

parent-child relationship, said system being provided with a database, which comprises a

relationship management table for recording classification code indicating type of the

relationship and priority rank of the relationship, and when the member is designated as a

reference person, a member in parent-child relationship with said member is extracted and

displays parent member, child member and grandchild member together with the reference

person as a list, said system further comprising means for executing the following steps of:

Application No. 10/043,212

Attorney Docket No. 020033

(1) making a code of a member selected in a member list extracted by designating a

specific condition as a reference person code ("reference person CIF");

(2) acquiring information of the reference person from the member management table

based on the reference person CIF and of storing the information in a reference person display

area;

(3) extracting codes of all members in parent relationship of the reference person from the

relationship management table ("parent CIF") and classification thereof based on the reference

person CIF, acquiring each information from the member management table and priority rank of

classification from the classification table, and storing the information in a parent member list

display area from a member with higher priority rank;

(4) extracting codes of all members in child relationship of the reference person from the

relationship management table ("child CIF") and classification thereof based on the reference

person CIF, acquiring each information from the member management table and priority rank of

classification from the classification table, and storing the information in a child member list

display area from a member with higher priority rank;

(5) extracting codes of all members in child relationship of a child member at the

uppermost part of the child member list display area ("grandchild CIF") from the relationship

management table based on a child CIF at the uppermost part of the child member list display

area and classification thereof, acquiring each information from the member management table

Application No. 10/043,212

Attorney Docket No. 020033

and priority rank of classification from the classification table, and storing the information in a

grandchild member list display area from a member with higher priority rank;

(6) displaying the display area;

(7) judging whether or not the user has selected a member other than the uppermost

member in the child member list display area (If selected, advance to Step (8). If not selected,

advance to Step (9));

(8) extracting codes of all members in child relationship of a child member selected in the

child member list display area and classification thereof from the relationship management table

based on the selected child CIF, acquiring each information from the member management table,

and priority rank of classification from the classification table, and storing and displaying again

the information in a grandchild member list display area from a member with higher priority

rank;

(9) judging whether a reference person change button is pressed or not (If pressed,

advance to Step (10). If not pressed, wait for the next instruction.); and

(10) making a code of a member as a reference person CIF who was selected by the user

from each of the parent member list display area, the child member list display area, and the

grandchild member list display area (Return to Step (2).).

Application No. 10/043,212 Attorney Docket No. 020033

Claim 18 (Withdrawn): An associating information management system, comprising:

a member management table for storing member information of individuals and

organizations including name or organization name, address, telephone number, etc.;

said system records relationship record defining relationship between a member

registered in the member management table and another member relating to said member by

parent-child relationship, said system being provided with a database, which comprises a

relationship management table for recording classification code indicating type of the

relationship and priority rank of the relationship, and a member in parent-child relationship is

extracted by a member code set in the reference person, and degrees of relatives are displayed in

a tree view in the order of relatives of closer degree, said system further comprising means for

executing the steps of:

(1) acquiring information of the reference person member of the member management

table based on the reference person CIF, and displaying the information in a tree view area;

(2) selection of the first degree relatives

(2-1) extracting a parent member from the relationship management table based on the

reference person CIF, and additionally displaying the information under the reference person

with one member in one step in the second column of the tree view area in the order of priority

rank;

(2-2) extracting a child member from the relationship management table based on the

reference person CIF, and additionally displaying the information under the parent member with

one member in one step in the second column of the tree view area in the order of priority rank,

whereby an abbreviation symbol is added after the name if a member with the same CIF is

already displayed in the tree view;

(3) selection of the second degree relatives;

(3-1) performing the following processing in the order from higher position on members

of the first degree displayed in the second column:

(3-2) extracting a parent member from the relationship management table based on the

first degree relative CIF, and inserting and displaying the information between the corresponding

first degree member and the next first degree member with one member in one step in the third

column of the tree view area in the order of priority rank, whereby "selection of the second

degree relatives" is not carried out if the member of two degrees before (the reference person) in

direct line is the same member:

(3-3) "selection of the second degree relatives" is not carried out if an abbreviation

symbol is attached to a member in the corresponding step of the first degree;

(3-4) adding an abbreviation symbol after the name if a member with the same CIF is

already displayed in the tree view;

Application No. 10/043,212

Attorney Docket No. 020033

(3-5) extracting a child member from the relationship management table based on the first

degree relative CIF, and inserting and displaying the information between the corresponding first

degree member and the next first degree member with one member in one step in the third

column of the tree view area in the order of priority rank, whereby "selection of the second

degree relatives" is not carried out if the member of two degrees before (the reference person) in

direct line is the same member;

(3-6) "selection of the second degree relatives" is not carried out if an abbreviation

symbol is attached to a member of the corresponding step of the first degree;

(3-7) adding an abbreviation symbol after the name if a member with the same CIF is

already displayed in the tree view area;

(4) selection of n-th degree relatives (n = 3)

(4-1) performing the following processing respectively in the order from higher position

on n-1-th degree member displayed in n-th column;

(4-2) extracting a parent member from the relationship management table based on n-1-th

degree relative CIF, and inserting and displaying the information between the member of the

corresponding n-1-th degree and the next n-1-th degree member with one member in one step in

n+l-th column of the tree view area in the order of priority rank, whereby "selection of n-th

Application No. 10/043,212

Attorney Docket No. 020033

degree relatives" is not carried out if a member of two degrees before (n-2-th degree relative) in

direct line is the same member;

(4-3) "selection of n-th degree relative" is not carried out if an abbreviation symbol is

attached to a member of the corresponding step of n-1-th degree:

(4-4) adding an abbreviation symbol after the name if a member with the same CIF is

already displayed in the tree view area;

(4-5) extracting a child member from the relationship management table based on n-1-th

degree relative CIF, and inserting and displaying the information between the corresponding n-1-

th degree member and the next n-1-th degree member with one member in one step in n+1-th

column of the tree view area in the order of priority rank, whereby "selection of n-th degree

relative" is not carried out if a member of two degrees before (n-2-th degree relative) in direct

line is the same member;

(4-6) (selection of n-th degree relative) is not carried out if an abbreviation symbol is

attached to a member in the corresponding step of n-1-th degree;

(4-7) adding an abbreviation symbol after the name if a member with the same CIF is

already displayed in the tree view area; repeating Step (4) until "n" reaches a predetermined

number by progressively increasing "n" by one in Step (4) after the procedure of (5) above, and

completing the processing if "n" reaches the predetermined number.

Claim 19 (Withdrawn): An associating information management system, comprising:

a member management table for storing member information of individuals and

organizations including name or organization name, address, telephone number, etc.;

said system records relationship record defining relationship between a member

registered in the member management table and another member relating to said member by

parent-child relationship, said system being provided with a database, which comprises a

relationship management table for recording classification code indicating type of the

relationship and priority rank of the relationship, and said system extracts up to any degree of

relative as desired and displays whether a relationship route is made up using member codes of

two members as set to the reference person, said system further comprising means for

executing the steps of:

(1) setting one of the two members for tracing the relationship as a regular member, and

the other as a sub-member, storing a setting condition to trace whether the sub-member is

connected with the regular member, and initializing array area in the memory for temporarily

storing retrieval result;

(2) storing the setting condition as to up to which degree should be searched at the

furthest or whether the shortest route should be searched or all routes should be searched as

designated by the user when processing is performed;

Application No. 10/043,212 Attorney Docket No. 020033

- (3) extracting the first degree member in parent-child relationship of the regular member;
- (3-1) judging whether ia-th (i = 1 to n) member is a sub-member or not among the number of records "na" of the extracted first degree member;
- (3-1-1) if it is a sub-member, executing the processing of Step (3-1) to the record of the next first degree member by storing the route from the regular member in array area of the memory;
- (4) if it is not a sub-member, extracting the second degree member in parent-child relationship of ia-th member of the first degree;
- (4-1) judging whether ib-th (i = 1 to n) member is a sub-member or not among the number of records of the second degree extracted;
- (4-1-1) if it is a sub-member, executing the processing of Step (4-1) to the record of the next second degree by storing the route from the regular member in array area of the memory;
- (4-2) if it is not a sub-member, judging whether the same member as ib-th member of the second degree is present at higher position in the route or not;
- (4-2-1) if it is present at higher position, executing the processing of Step (4-1) to the record of the next second degree member by interrupting the processing;

Response To Notice Of Non-Compliant Amendment Under 37 C.F.R. §1.121 Application No. 10/043,212

Attorney Docket No. 020033

(5) if it is not present at higher position, extracting the third degree member in parent-

child relationship of ib-th member of the second degree;

(5-1) judging whether ic-th (i = 1 to n) member is a sub-member or not among the

number of records 'Inc" of the third degree extracted;

(5-1-1) if it is a sub-member, executing the processing of Step (5-1) to the record of the

next third degree member by storing the route from the regular member in array area of the

memory;

(5-2) if it is not a sub-member, judging whether the same member as ic-th member of the

third degree is not present at higher position in the route or not;

(5-2-1) if it is present at higher position, interrupting the processing and executing the

processing of Step (5-1) to the record of the next third degree member by interrupting the

processing;

(6) if it not present at higher position, extracting the fourth degree member in parent-child

relationship of ic-th member of the third degree;

(7) repeating the procedure by progressively increasing the value up to the degree of the

number as set in advance, and performing the following processing in the final degree member:

Response To Notice Of Non-Compliant Amendment Under 37 C.F.R. §1.121 Application No. 10/043,212 Attorney Docket No. 020033

(7-1) judging whether ix-th (i = 1 to n) member is a sub-member or not among the

number of records "nx" of the final degree extracted;

(7-1-1) if it is a sub-member, storing the route from the regular member in array area of

the memory, and advancing to the next record of the final degree;

(7-2) if it is not a sub-member, advancing to the next record of the final degree. If the

record of the final degree is completed up to "n", performing processing by progressively

increasing by one the number of records of the degree one step before;

(7-3) if the number of recording of the degree one step before is completed up to "n",

performing processing by progressively increasing by one the number of records of the degree

one step before;

(8) performing this procedure until the number of records of all degrees is completed;

(9) rearranging retrieval results stored in array area of the memory from the member of

lower degree in the route;

(10) displaying the first of the retrieval results in the tree view area; and

(11) displaying the route selected by the user among the retrieval results in the tree view

area if the user designates the change of the retrieval result display in the pulldown list box.

Application No. 10/043,212

Attorney Docket No. 020033

Claim 20 (Currently Amended): An associating information management system for associating

various types of information and for managing the information, said system at least comprising:

a relationship vector table for storing relationship of said various types of information,

direction of said relationship, and position time series information;

retrieval processing means for performing retrieval processing for association based on

the relationship stored in said relationship vector table, direction of said relationship and position

time series information, and for performing output processing of the relationship map; and,

a relationship management table for storing parent-child relationship between said

various types of information, and said retrieval processing means outputs a relationship map to

display transition of relationship along said position time series of said various types of

information as said relationship map and also outputs a relationship pedigree displaying

connection of said various type of information in form of chains;

wherein degrees of relatives are displayed in a tree view in the order of relatives of closer

degree, and an abbreviation symbol is added after the name of a member if a member with the

same CIF is already displayed in the tree view.

Claim 21 (Canceled).

Application No. 10/043,212

Attorney Docket No. 020033

Claim 22 (Currently Amended): An associating information management system according to

claim 30 [[20]], wherein said various types of information are under management by a member

management table for storing member data consisting of identification information and detailed

information.

Claim 23 (Original): An associating information management system according to claim 22,

wherein said detailed information contains assortment information for assorting members.

Claim 24 (Original): An associating information management system according to claim 23,

wherein said assortment information includes type, rank, classification, and job type.

Claim 25 (Original): An associating information management system according to claim 22,

wherein said detailed information comprises FAT information, address recorded in FAT, file

type, directory pass, file name, scope of selection, object, attribute, or information having

attribute.

Claim 26 (Original): An associating information management system according to claim 22,

wherein said identification information comprises ID, FAT information, address recorded in

FAT, file type, directory pass, file name, scope of selection, object, attribute, or information

having attribute.

Claim 27 (Currently Amended): An associating information management system according to

claim 30 [[20]], wherein said relationship management table comprises information of mutual

associating direction and degree of relationship.

Claim 28 (Withdrawn): A program for associating information management for associating and

managing various types of information by using a relationship vector table for storing

relationship between said various types of information, direction of said relationship and position

time series information, retrieval processing for association is performed according to the

relationship, direction of the relationship and the position time series information stored in said

relationship vector table, and output processing of the relationship map is carried out.

Claim 29 (Withdrawn): A recording medium for associating information management and

readable by computer and for managing various types of information by association, said

recording medium records a relationship vector table for storing relationship between said

various types of information, said direction of relationship and said position time series

information, and a retrieval processing program for performing retrieval processing of

association based on the relationship, direction of the relationship and the position time series

information stored in said relationship vector table and for carrying out output processing of the

relationship map.

Application No. 10/043,212

Attorney Docket No. 020033

30 (New): An associating information management system according to claim 20, wherein there

is further provided a relationship management table for storing parent-child relationship between

said various types of information, and said retrieval processing means outputs a relationship map

to display transition of relationship along said position time series of said various types of

information as said relationship map and also outputs a relationship pedigree displaying

connection of said various type of information in form of chains.